PLANT AND SOIL

Contents Volume 285 Nos. 1–2 July 2006

Commentary

Integrated research of plant functional traits is important for the understanding of ecosystem processes
S.K. Arndt **1–3**

Water-use strategy of three central Asian desert shrubs and their responses to rain pulse events
H. Xu and Y. Li **5–17**

Vertical distribution of organic amendment influences the rooting depth of revegetation species on barren, subgrade serpentine substrate
R.E. O'Dell and V.P. Claassen **19–29**

Depth of water acquisition by invading shrubs and resident herbs in a Sierra Nevada meadow
A. Darrouzet-Nardi, C.M. D'Antonio and T.E. Dawson **31–43**

Root length density and water uptake distributions of winter wheat under subirrigation
Q. Zuo, J. Shi, Y. Li and R. Zhang **45–55**

Relationship of seed source and arbuscular mycorrhizal fungi inoculum type to growth and colonization of big bluestem (*Andropogon gerardii*)
N. Cavender and M. Knee **57–65**

A novel strategy using biodegradable EDDS for the chemically enhanced phytoextraction of soils contaminated with heavy metals
C.-L. Luo, Z.-G. Shen, A.J.M. Baker and X.-D. Li **67–80**

Effect of environment on multi-element grain composition of pigeonpea cultivars under farmers' conditions
H. Høgh-Jensen, F.A. Myaka, D. Kamalongo, J. Rasmussen and A. Ngwira **81–96**

A climate response function explaining most of the variation of the forest floor needle mass and the needle decomposition in pine forests across Europe
C. Kurz-Besson, M.M. Coûteaux, B. Berg, J. Remacle, C. Ribeiro, J. Romanyà and J.M. Thiéry **97–114**

Selection of *Brassica rapa* genotypes for tolerance to boron toxicity
S. Kaur, M.E. Nicolas, R. Ford, R.M. Norton and P.W.J. Taylor **115–123**

Cadmium accumulation in relation to organic acids in leaves of *Solanum nigrum* L. as a newly found cadmium hyperaccumulator
R.-l. Sun, Q.-x. Zhou and C.-x. Jin **125–134**

The effects of sheep faeces on soil solution composition
C.A. Shand and G. Coutts **135–148**

Transgenic Bt cotton has no apparent effect on enzymatic activities or functional diversity of microbial communities in rhizosphere soil
R.F. Shen, H. Cai and W.H. Gong **149–159**

Arbuscular mycorrhizal fungi enhance root cadmium and copper accumulation in the roots of the salt marsh plant *Aster tripolium* L.
L.M. Carvalho, I. Caçador and M.A. Martins-Loução **161–169**

Competition for nutrients and optimal root allocation
J.M. Craine **171–185**

Selenium distribution in ryegrass and its antioxidant role as affected by sulfur fertilization
P. Cartes, C. Shene and M. de la L. Mora **187–195**

Soil properties associated with the tree decline 'Mundulla Yellows'
B. Czerniakowski, R. Crnov, I.W. Smith and J.E. Luck **197–206**

Yields and accumulations of N and P in farmer-managed intercrops of maize–pigeonpea in semi-arid Africa
F.M. Myaka, W.D. Sakala, J.J. Adu-Gyamfi, D. Kamalongo, A. Ngwira, R. Odgaard, N.E. Nielsen and H. Høgh-Jensen **207–220**

Significance of organic nitrogen acquisition for dominant plant species in an alpine meadow on the Tibet plateau, China
X. Xu, H. Ouyang, Y. Kuzyakov, A. Richter and W. Wanek **221–231**

***Brassica juncea* can improve selenite and selenate abatement in selenium contaminated soils through the aid of its rhizospheric bacterial population**
S. Di Gregorio, S. Lampis, F. Malorgio, G. Petruzzelli, B. Pezzarossa and G. Vallini **233–244**

Soil and vegetation response to thinning White Cypress Pine (*Callitris glaucophylla*) on the North Western Slopes of New South Wales, Australia
M.T. McHenry, B.R. Wilson, J.M. Lemon, D.E. Donnelly and I.G. Growns **245–255**

Systemically suppressed isoflavonoids and their stimulating effects on nodulation and mycorrhization in alfalfa split-root systems
J.G. Catford, C. Staehelin, G. Larose, Y. Piché and H. Vierheilig **257–266**

Root-soil rotation stiffness of Norway spruce (*Picea abies* (L.) Karst) growing on subalpine forested slopes
M.J. Jonsson, A. Foetzki, M. Kalberer, T. Lundström, W. Ammann and V. Stöckli **267–277**

Alleviation of salt stress in *Lotus glaber* by *Glomus intraradices*
A.I. Sannazzaro, O.A. Ruiz, E.O. Albertó and A.B. Menéndez **279–287**

Vegetation heterogeneity and ditches create spatial variability in methane fluxes from peatlands drained for forestry
K. Minkkinen and J. Laine **289–304**

Verification and intercomparison of reactive transport codes to describe root-uptake
B. Nowack, K.U. Mayer, S.E. Oswald, W. van Beinum, C.A.J. Appelo, D. Jacques, P. Seuntjens, F. Gérard, B. Jaillard, A. Schnepf and T. Roose **305–321**

Distribution and mobility of manganese in the hyperaccumulator plant *Phytolacca acinosa* Roxb. (Phytolaccaceae)
X. Xu, J. Shi, Y. Chen, X. Chen, H. Wang and A. Perera **323–331**

Silicon isotopic fractionation by banana (*Musa* spp.) grown in a continuous nutrient flow device
S. Opfergelt, D. Cardinal, C. Henriet, X. Draye, L. André and B. Delvaux **333–345**

Field released transgenic papaya affects microbial communities and enzyme activities in soil
X.D. Wei, H.L. Zou, L.M. Chu, B. Liao, C.M. Ye and C.Y. Lan **347–358**

Arsenic uptake and accumulation in rice (*Oryza sativa* L.) at different growth stages following soil incorporation of roxarsone and arsanilic acid
F.-M. Wang, Z.-L. Chen, L. Zhang, Y.-L. Gao and Y.-X. Sun **359–367**

Elevated CO_2 alleviates the effects of low P on the growth of N_2-fixing *Acacia auriculiformis* and *Acacia mangium*
N.T. Nguyen, P.K. Mohapatra and K. Fujita **369–379**

Available online
www.springerlink.com

Cover Photo: Exposed root system of *H. ammodendron* in a desert. *Plant and Soil* Vol 285, pp. 5–17.